Accent Design Concepts

6" Vertical New Construction Commercial Housing

Catalog #		Prepared by	
Project		Date	
Notes			

6" Vertical New Construction Commercial Housing

Mounting

1) Constructed from 16-gauge steel

2) Frame includes bar hangers with nails for wood joist

3) Installed spring steel friction clips

4) Adjustable 14"-25" for precise placement

5) Bar hangers include T-bar notch for T-grid
    ceiling installations

6) Fully assembled for ease of installation

7) Must be kept at least 3" away from insulation

Junction Box

1) Pre-wired junction box provided with 1/2" and
    3/4" knockouts

2) Provided with removable access plates

3) Knockouts equipped with pry out slots

4) All leads are #18AWG wire, the ground wire
    connected to the bottom and quick connectors
    are supplied on all leads

5) Through branch circuit wiring(4 in, 4 out)

Reflector

1) High quality reflector with 1.2mm thickness available
    in multiple architectural finishes and types.

2) Optional painted white flange is available

Order Matrix

A	B	C	D	E

Item No.:A6-VC

A	Series
A6-VC	6" Vertical New COnstruction

B	Input Voltage
	120V
277	277V

C	Lamp
P30	PAR30
P38	PAR38
A19	A19
A21	A21

D	Wattage
L16	LED 16W
L24	LED 24W

3) Single position optics eliminate possibility of specified
   lamp being installed in incorrect position

E	Color Temperature
28K	2800K
35K	3500K
50K	5000K
60K	6000K

Lamp

A19 12W/ A21 17W/ A23 20W/ PAR30 18W /PAR38 24W Max.

E26 medium base

CRI>80%

PF>0.9

Color Temperature: 2800K-6000K

Listing

ETL listed for damp location W/Feed through

Special Requirements Confirm with Factory

COMMERCIAL HOUSING

RV6002
6 inch Vertical Reflector
Self Flanged/White Ring

RC602
6 inch Vertical Reflector with
Regressed Lens
Self Flanged/White Ring

RC603
6 inch Vertical Baffle with
Regressed Lens
Self Flanged/White Ring

RC608
6 inch Vertical Cross Blade
White Ring

RV612
6 inch Vertical Reflector with
Baffle
White Ring

RC166
6 inch Vertical Reflector with
Drop Glass
Self Flanged

COMMERCIAL HOUSING