A35-IA New Construction IC Airtight LED Recessed Housing

Catalog #	Prepared by		
Project		Date	
Notes			



3.5" New Construction IC Airtight Housing

Housing

- 1) Die-formed aluminum for maximum heat dissipation and rust protection
- 2) Desinged for New Construction installation
- 3) Housing can be installed in 1/2" to 1-3/8" thick ceilings.

Hanger Bar

- 1) Allow housing to be positioned and locked at any point within a 24" joist span.
- 2) Can be shortened for 12" joists
- 3) Can be positioned on long or short axis of the housing
- 4) Contain integral nail
- 5) Hanger fit onto T-bar spline for quick alignment

Junction Box

- 1) ETL listed for through branch wiring
- 2) 4 in-4 out J-box for your better choices
- 3) Designed for straight through conduit runs
- 4) 1/2" and 3/4" romex wiring knockouts

2%	0
	\$\psi_3^4\cdots
5%.	
	6 8 a a
lar Matu	81/16"

Order Matrix

\

С

D

Item	No.	:A3	5-IA

Α	Series
A35-IA	3"/New Construction IC Airtight

В	Input Voltage	
	120V	
277	277V	

	С	Wattage
,	L3	LED 3W
	1.5	LED 5W

Lamp

LED GU10 Lamp 8W max. MR16 GU5.3 8W Max. PAR16 E26 8W Max.

PF>0.9

Color Temperature:2800K-6500K

Listing

ETL listed for damp location W/Feed through

Other Special requirement please confirm with factory

Accent Design Concepts

3.5" TRIM OPTIONS



B35001/3.5 inch Baffle Trim

Lamp: MR16 LED GU5.3 8W Max. GU10 LED GU10 8W Max. PAR16 LED E26 8W Max.



B35003/3.5 inch Eyeball Trim

Lamp: MR16 LED GU5.3 8W Max. GU10 LED GU10 8W Max. PAR16 LED E26 8W Max.



B35014/3.5 inch Pinhole Trim

Lamp: MR16 LED GU5.3 8W Max. GU10 LED GU10 8W Max. PAR16 LED E26 8W Max.



B35002/3.5 inch Reflector Trim

Lamp: MR16 LED GU5.3 8W Max. GU10 LED GU10 8W Max. PAR16 LED E26 8W Max.



B35005/3.5 inch Slot Trim

Lamp: MR16 LED GU5.3 8W Max. GU10 LED GU10 8W Max. PAR16 LED E26 8W Max.



B35024/3.5 inch Adjustable Trim

Lamp: MR16 LED GU5.3 8W Max. GU10 LED GU10 8W Max. PAR16 LED E26 8W Max.

Accent Design Concepts



B35071/3.5 inch Large Gimbal Trim

Lamp: MR16 LED GU5.3 8W Max. GU10 LED GU10 8W Max. PAR16 LED E26 8W Max.



B35802/3.5 inch Shower Trim with Frosted Lens

Lamp: MR16 LED GU5.3 6W Max. GU10 LED GU10 6W Max. PAR16 LED E26 6W Max.



BS35001/3.5 inch Square Baffle Trim

Lamp: MR16 LED GU5.3 8W Max. GU10 LED GU10 8W Max. PAR16 LED E26 8W Max.



BS35007/3.5 inch SquareGimbal Trim

Lamp: MR16 LED GU5.3 8W Max. PAR16 LED E26 8W Max.



B35602/3.5 inch Shower Trim with Dome Lens

Lamp: MR16 LED GU5.3 6W Max. GU10 LED GU10 6W Max. PAR16 LED E26 6W Max.



B35011/3.5 inch Square Baffle Trim

Lamp: MR16 LED GU5.3 8W Max. GU10 LED GU10 8W Max. PAR16 LED E26 8W Max.



BS35002/3.5 inch Square Reflector Trim

Lamp: MR16 LED GU5.3 8W Max. GU10 LED GU10 8W Max. PAR16 LED E26 8W Max.



Accent Design Concepts, LLC. Orlando, Florida 32824

Email: Sales@accentdesignconcepts.com