



AL35-R
3.5 inch Remodel Recessed Housing

Catalog #		Prepared by	
Project		Date	
Notes			



3.5 inch Remodel Recessed Housing

Housing

- 1) Die-formed aluminum for maximum heat dissipation and rust protection
- 2) Desinged for remodel installations
- 3) Housing can be installed in 1/2" to 1-3/8" thick ceilings.
- 4) Housing is Noc-IC rated must be kept at least 3" away form insulation

Junction Box

- 1) ETL listed for through branch wiring
- 2) 2 in-2 out or 4 in-4 out J-box for your better choices
- 3) Designed for straight through conduit runs
- 4) 1/2" and 3/4" romex wiring knockouts

Lamp

LED GU10 Lamp 8W max. MR16 GU5.3 8W Max. PAR16 E26 8W Max.
 CRI>80%
 PF>0.9
 Color Temperature:2800K-6500K

Listing

ETL listed for damp location W/Feed through
Other Special requirement please confirm with factory

Order Matrix

A	B	C	D
----------	----------	----------	----------

Item No.:A35-R

A	Series
A35-R	3.5"/Remodel Non-IC Housing

B	Input Voltage
	120V
277	277V

C	Wattage
L3	LED 3W
L5	LED 5W

D	Color Temperature
35K	3500K
50K	5000K
60K	6000K

RECESSED DOWNLIGHT



3.5" TRIM OPTICS



B35001/3.5 inch Baffle Trim

Lamp : MR16 LED GU5.3 8W Max.
GU10 LED GU10 8W Max.
PAR16 LED E26 8W Max.



B35002/3.5 inch Reflector Trim

Lamp : MR16 LED GU5.3 8W Max.
GU10 LED GU10 8W Max.
PAR16 LED E26 8W Max.



B35003/3.5 inch Eyeball Trim

Lamp : MR16 LED GU5.3 8W Max.
GU10 LED GU10 8W Max.
PAR16 LED E26 8W Max.



B35005/3.5 inch Slot Trim

Lamp : MR16 LED GU5.3 8W Max.
GU10 LED GU10 8W Max.
PAR16 LED E26 8W Max.



B35014/3.5 inch Pinhole Trim

Lamp : MR16 LED GU5.3 8W Max.
GU10 LED GU10 8W Max.
PAR16 LED E26 8W Max.



B35024/3.5 inch Adjustable Trim

Lamp : MR16 LED GU5.3 8W Max.
GU10 LED GU10 8W Max.
PAR16 LED E26 8W Max.

RECESSED DOWNLIGHT





B35071/3.5 inch Large Gimbal Trim

Lamp : MR16 LED GU5.3 8W Max.
GU10 LED GU10 8W Max.
PAR16 LED E26 8W Max.



B35602/3.5 inch Shower Trim with Dome Lens

Lamp : MR16 LED GU5.3 6W Max.
GU10 LED GU10 6W Max.
PAR16 LED E26 6W Max.




B35802/3.5 inch Shower Trim with Frosted Lens

Lamp : MR16 LED GU5.3 6W Max.
GU10 LED GU10 6W Max.
PAR16 LED E26 6W Max.



B35011/3.5 inch Square Baffle Trim

Lamp : MR16 LED GU5.3 8W Max.
GU10 LED GU10 8W Max.
PAR16 LED E26 8W Max.



BS35001/3.5 inch Square Baffle Trim

Lamp : MR16 LED GU5.3 8W Max.
GU10 LED GU10 8W Max.
PAR16 LED E26 8W Max.



BS35002/3.5 inch Square Reflector Trim

Lamp : MR16 LED GU5.3 8W Max.
GU10 LED GU10 8W Max.
PAR16 LED E26 8W Max.



BS35007/3.5 inch Square Gimbal Trim

Lamp : MR16 LED GU5.3 8W Max.
PAR16 LED E26 8W Max.

RECESSED DOWNLIGHT





BS35007/3.5 inch Square Gimbal Trim

Lamp : MR16 LED GU5.3 8W Max.

PAR16 LED E26 8W Max.



Liteharbor Lighting Technology Co., Ltd.

New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8675

FAX: +86-757-8180 8685

E-mail: info@liteharbor.com

Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: Jan. 2015