


**A4-R2  
4 inch Remodel NON-IC Recessed Housing**

<b>Catalog #</b>		<b>Prepared by</b>	
<b>Project</b>		<b>Date</b>	
<b>Notes</b>			



**4 inch Remodel NON-IC Recessed Housing**

**Housing**

- 1) Die-formed aluminum for maximum heat dissipation and rust protection
- 2) Designed for remodel installations
- 3) Housing can be installed in 1/2" to 1-3/8" thick ceilings.
- 4) Housing is Non-IC rated must be kept at least 3" away from insulation

**Junction Box**

- 1) ETL listed for through branch wiring
- 2) 2 in-2 out or 4 in-4 out J-box for your better choices
- 3) Designed for straight through conduit runs
- 4) 1/2" and 3/4" romex wiring knockouts

**Lamp**

See trim for max. wattage and lamp  
CRI>80%  
PF>0.9  
Color Temperature:2700K-6500K

**Listing**

ETL listed for damp location W/Feed through

**Order Matrix**

**A      B      C      D      E**

<b>Item No.:</b> A4-R2
------------------------

<b>A</b>	Series
A4-R2	4"/Remodel Non-IC Housing

<b>B</b>	Input Voltage
	120V
277	277V

<b>C</b>	Lamp
P16	PAR16
P20	PAR20
R20	R20
GU10	GU10

<b>D</b>	Wattage
L8	LED 8W
L10	LED 10W

RECESSED DOWNLIGHT



Other Special requirement please confirm with factory

E	Color Temperature
27K	2700K
35K	3500K
50K	5000K
60K	6000K

RECESSED DOWNLIGHT



**Accent Design Concepts, LLC.**

Orlando, Florida 32824

Email: [Sales@accentdesignconcepts.com](mailto:Sales@accentdesignconcepts.com)

Website: [www.accentdesignconcepts.com](http://www.accentdesignconcepts.com)

Specifications subject to change w/o notice

**4" TRIM OPTICS**



**B4001**

**4" Baffle Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**B4002**

**4" Reflector Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**B4003**

**4" Eyeball Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**B4007**

**4" Large Gimbal Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**B4012**

**4" Gimbal Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**B4301**

**4" Shower Baffle Trim with Fresnel Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed



**B4302**

**4" Shower Reflector Trim with Fresnel Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed



**B4400**

**4" Shower Trim with Frosted Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed



**B4401**

**4" Shower Baffle Trim with Sand Blasted Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed



**B4402**

**4" Shower Reflector Trim with Sand Blasted Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed

RECESSED DOWNLIGHT





**B4501**  
**4" Shower Baffle Trim with Drop Opal**

**Lamp:** R20/PAR20 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**B4502**  
**4" Shower Reflector Trim with Drop Opal**

**Lamp:** R20/PAR20 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**B4601**  
**4" Shower Baffle Trim with Dome Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**B4602**  
**4" Shower Reflector Trim with Dome Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**B4701**  
**4" Shower Baffle Trim with Frosted Lens Clear in Centre**

**Lamp:** R20/PAR20 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**B4702**  
**4" Shower Reflector Trim with Frosted Lens Clear in Centre**

**Lamp:** R20/PAR20 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**B4801**  
**4" Shower Baffle Trim With Frosted Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BD4001**  
**4" Baffle Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BD4002**  
**4" Reflector Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BD4003**  
**4" Eyeball Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.





**BD4004**

**4" Pinhole Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BD4004L**

**4" Large Pinhole Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BD4005**

**4" Slot Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BD4007**

**4" Gimbal Ring Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BD4007L**

**4" Large Gimbal Ring Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BD4012**

**4" Gimbal Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BD4009**

**4" Large Regress Rotating Eyeball Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BD4010**

**4" Retractable Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BD4014**

**4" Large Pinhole Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BD4015**

**4" Slot Baffle Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.

RECESSED DOWNLIGHT





## BD4016

### 4" Wall Wash Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



## BD4024

### 4" Pinhole Reflector Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



## BD4022

### 4" Accent Angle Cut Reflector Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



## BD4025

### 4" Slot Trim with Reflector

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



## BD4026

### 4" Wall Wash Trim with Reflector

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



## BD4301

### 4" Shower Baffle Trim with Fresnel Lens

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed

RECESSED DOWNLIGHT



## BD4302

### 4" Shower Reflector Trim with Fresnel Lens

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



## BD4326

### 4" Wall Washer Reflector Trim with Spread Lens

40° Adjustment  
**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed





**BD4401**

**4" Shower Baffle Trim with Albalite**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BD4402**

**4" Shower Reflector Trim with Albalite**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BD4501**

**4" Shower Baffle Trim with Drop opal**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BD4502**

**4" Shower Reflector Trim with Drop opal**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BD4601**

**4" Shower Baffle Trim with Dome Lens**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BD4602**

**4" Shower Reflector Trim with Dome Lens**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BD4701**

**4" Shower Baffle Trim with Frosted Lens Clear in Centre**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BD4702**

**4" Shower Reflector Trim with Frosted Lens Clear in Centre**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed

RECESSED DOWNLIGHT





**BD4801**

**4" Shower Baffle Trim with Frosted Lens**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BD4802**

**4" Shower Reflector Trim with Frosted Lens**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**B4802**

**4" Shower Reflector Trim With Frosted Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BD4902**

**4" Clear Reflector Trim with Drop Glass**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**B4011**

**4" Square Baffle Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**BS4001**

**4" Square Baffle Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**BS4002**

**4" Square Reflector Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**BS4007**

**4" Square Gimbal Trim**

**Lamp:** R20/PAR20 LED E26 8W Max.

RECESSED DOWNLIGHT







**BS4301**

**4" Square Shower Baffle Trim with Fresnel Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BS4302**

**4" Square Shower Reflector Trim with Fresnel Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BS4401**

**4" Square Shower Baffle Trim with Albalite Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BS4402**

**4" Square Reflector Trim with Albalite Lens**

**Lamp:** R20/PAR20 LED E26 10W Max.  
Gasket used to prevent moisture  
Wet location listed



**BS4701**

**4" Square Shower Baffle Trim with Frosted Lens Clear in Centre**

**Lamp:** R20/PAR20 LED E26 10W Max.  
Gasket used to prevent moisture  
Wet location listed



**BS4702**

**4" Square Shower Reflector Trim with Frosted Lens Clear in Centre**

**Lamp:** R20/PAR20 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BS4801**

**4" Square Shower Baffle Trim with Frosted Lens**

**Lamp:** R20/PAR20 LED E26 10W Max.  
Gasket used to prevent moisture  
Wet location listed



**BS4802**

**4" Square Shower Reflector Trim with Frosted Lens**

**Lamp:** R20/PAR20 LED E26 10W Max.  
Gasket used to prevent moisture  
Wet location listed

RECESSED DOWNLIGHT





**BD4011**

**4" Square Baffle Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BD4017**

**4" Square Retractable Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



**BDS4001**

**4" Square Baffle Trim**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



**BDS4002**

**4" Square Reflector Trim**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



**BDS4007**

**4" Square Gimbal Trim**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



**BDS4301**

**4" Square Shower Baffle Trim with Fresnel Lens**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BDS4302**

**4" Square Reflector Trim with Fresnel Lens**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BDS4401**

**4" Square Shower Baffle Trim with Albalite Lens**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed

RECESSED DOWNLIGHT





**BDS4402**

**4" Square Shower Reflector Trim with Albalite Lens**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BDS4701**

**4" Square Shower Baffle Trim with Frosted Lens Clear in Centre**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BDS4702**

**4" Square Shower Reflector Trim with Frosted Lens Clear in Centre**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BDS4801**

**4" Square Shower Baffle Trim with Frosted Lens**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



**BDS4802**

**4" Square Shower Reflector Trim with Frosted Lens**

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed

RECESSED DOWNLIGHT

