


**AL35-RCG**  
**3.5 inch Remodel Recessed Housing**

<b>Catalog #</b>		<b>Prepared by</b>	
<b>Project</b>		<b>Date</b>	
<b>Notes</b>			



**3.5 inch Remodel Recessed Housing**

**Housing**

- 1) Die-formed aluminum for maximum heat dissipation and rust protection
- 2) Designed for remodel installations
- 3) Housing can be installed in 1/2" to 1-3/8" thick ceilings.
- 4) Housing is Noc-IC rated must be kept at least 3" away from insulation

**Junction Box**

- 1) ETL listed for through branch wiring
- 2) 2 in-2 out or 4 in-4 out J-box for your better choices
- 3) Designed for straight through conduit runs
- 4) 1/2" and 3/4" romex wiring knockouts

**Lamp**

LED GU10 Lamp 8W max. MR16 GU5.3 8W Max. PAR16 E26 8W Max.  
 CRI>80%  
 PF>0.9  
 Color Temperature:2800K-6500K

**Listing**

ETL listed for damp location W/Feed through  
**Other Special requirement please confirm with factory**

**Order Matrix**

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
----------	----------	----------	----------

**Item No.:A35-RCG**

<b>A</b>	Series
A35-RCG	3.5"/Remodel Non-IC Housing

<b>B</b>	Input Voltage
277	120V 277V

<b>C</b>	Wattage
L3	LED 3W
L5	LED 5W

<b>D</b>	Color Temperature
35K	3500K
50K	5000K
60K	6000K

Recessed Downlight



**3.5" TRIM OPTIONS**



**B35001/3.5 inch Baffle Trim**

Lamp : MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



**B35002/3.5 inch Reflector Trim**

Lamp : MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



**B35003/3.5 inch Eyeball Trim**

Lamp : MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



**B35005/3.5 inch Slot Trim**

Lamp : MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



**B35014/3.5 inch Pinhole Trim**

Lamp : MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



**B35024/3.5 inch Adjustable Trim**

Lamp : MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.

*Recessed Downlight*





**B35071/3.5 inch Large Gimbal Trim**

Lamp : MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



**B35602/3.5 inch Shower Trim with Dome Lens**

Lamp : MR16 LED GU5.3 6W Max.  
GU10 LED GU10 6W Max.  
PAR16 LED E26 6W Max.




**B35802/3.5 inch Shower Trim with Frosted Lens**

Lamp : MR16 LED GU5.3 6W Max.  
GU10 LED GU10 6W Max.  
PAR16 LED E26 6W Max.



**B35011/3.5 inch Square Baffle Trim**

Lamp : MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



**BS35001/3.5 inch Square Baffle Trim**

Lamp : MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



**BS35002/3.5 inch Square Reflector Trim**

Lamp : MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



**BS35007/3.5 inch Square Gimbal Trim**

Lamp : MR16 LED GU5.3 8W Max.  
PAR16 LED E26 8W Max.

Recessed Downlight





**BS35007/3.5 inch SquareGimbal Trim**

Lamp : MR16 LED GU5.3 8W Max.

PAR16 LED E26 8W Max.



**Liteharbor Lighting Technology Co., Ltd**

New Industry Area Hecun Danzao Town  
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8675

FAX: +86-757-8180 8685

E-mail: [info@liteharbor.com](mailto:info@liteharbor.com)

Website: [www.liteharbor.com](http://www.liteharbor.com)

Specifications subject to change w/o notice

Revision: Jan. 2015